From Entropy to Emergence

Pascal's Triangle as a Constraint Geometry of Complexification

2026-02-01

Author:
Rob G. Sacco

Affiliation:
Independent Researcher
Ottawa, Canada

Note:
This paper is part of an ongoing independent research archive.
It is released openly for reading and scholarly reference.

Abstract

This paper argues that Pascal's Triangle offers a minimal model for how complexity emerges from entropy through constraint. Entropy is not merely disorder but an expansion of possible states; on its own, this leads to combinatorial explosion without structure. When recursively constrained, however, this expansion produces stable patterns, distributions, and coherent growth across scales. Key features of Pascal's Triangle map to distinct constraint types. The doubling sequence (2^n) reflects unconstrained entropy, while the binomial distribution captures selective constraints that shape outcomes. Fibonacci sequences arise along diagonals, representing growth structured by recursive dependence. Symmetry indicates global invariance, and recursive construction reflects path dependence. Convergence toward the normal distribution shows how local randomness yields global order. Thus, complexity is not opposed to randomness but emerges from its interaction with constraint. Pascal's Triangle becomes a "constraint geometry," illustrating how organized systems can arise without external design, supporting a non-foundational view of order as immanent and self-generated.

Keywords: Pascal's Triangle, entropy, constraint, emergence, complexity, recursive structure, non-foundational ontology.

1. Introduction

1.1 The Problem of Entropy and Complexity

Entropy is commonly associated with disorder, decay, and the gradual loss of structure. In classical thermodynamics, it is defined as a measure of the number of possible microstates consistent with a given macrostate, and its increase is often interpreted as a tendency toward randomness or equilibrium (Boltzmann, 1877/1964; Clausius, 1865/2005). Within this framing, the second law of thermodynamics appears to imply that systems should evolve toward maximal disorder over time.

However, this interpretation presents a fundamental tension. If entropy drives systems toward disorder, how do highly organized structures—such as biological organisms, ecosystems, and cognitive systems—arise and persist within an entropic universe? Living systems exhibit remarkable degrees of organization, stability, and functional integration despite operating far from thermodynamic equilibrium (Schrödinger, 1944/2012). This apparent contradiction has motivated extensive inquiry across physics, biology, and complexity science.

The central difficulty lies in reconciling two observations: (a) entropy increases globally, and (b) local complexity emerges and persists. Any adequate account of emergence must therefore explain how ordered structures arise without violating thermodynamic principles.

1.2 Limits of Traditional Explanations

Traditional approaches to this problem have largely relied on either mechanistic or teleological explanations, both of which encounter significant limitations.

Mechanistic accounts emphasize efficient causation, in which discrete interactions between components produce system-level behavior. While such models are effective for describing local dynamics, they often fail to explain the origin of large-scale organization. Mechanistic explanations typically presuppose stable entities and fixed laws, leaving unanswered the question of how such structures arise in the first place (Juarrero, 1999; Kauffman, 1993).

In contrast, teleological explanations invoke goal-directed processes, suggesting that systems evolve toward predefined ends or optimal states. Although teleological language can capture the apparent directionality of biological and developmental processes, it risks reintroducing hidden foundations—such as intrinsic purposes, final causes, or pre-existing forms—that lack empirical grounding (Mayr, 1992).

Both approaches, therefore, struggle to account for emergence without either reducing it to local interactions or explaining it through implicit design. What is needed is a framework that can account for the spontaneous emergence of structure without appealing to either purely mechanistic causation or teleological direction.

1.3 Thesis

This paper proposes that complexity arises from the interaction between entropy and constraint. Entropy, understood as the expansion of possibility space, generates an ever-increasing range of potential configurations. Constraints, in turn, shape this space by limiting, channeling, and stabilizing certain patterns while excluding others (Juarrero, 1999).

Within this framework, complexity is not opposed to entropy but emerges through its structuring. Order arises not despite entropy, but through the ways in which entropy is constrained.

To formalize this relationship, we introduce Pascal's Triangle as a minimal mathematical model of constrained possibility. The triangle encodes both the combinatorial expansion of possibilities and their structured redistribution through recursive relationships. As such, it provides a compact representation of how randomness, when subjected to constraint, gives rise to stable distributions, growth pathways, and emergent patterns.

2. Entropy Reinterpreted: Expansion of Possibility

2.1 Entropy as Combinatorial Growth

In statistical mechanics, entropy is fundamentally a measure of the number of possible configurations—microstates—that correspond to a given macrostate (Boltzmann, 1877/1964). From this perspective, entropy can be understood as the size of a system's possibility space. Rather than representing disorder per se, entropy reflects the combinatorial richness of potential arrangements.

This interpretation becomes particularly clear in systems characterized by discrete branching processes. At each step, the system may evolve into multiple possible states, generating an expanding tree of outcomes. The growth of entropy, in this sense, corresponds to the proliferation of possible trajectories through state space.

Such processes can be modeled using simple binary branching structures, where each event introduces a bifurcation in possible outcomes. Over successive iterations,

the number of possible states grows exponentially, illustrating the combinatorial nature of entropy.

2.2 The Doubling Sequence (2^n)

The canonical example of combinatorial expansion is the doubling sequence, given by 2^n. This sequence arises naturally in binary processes such as repeated coin flips. For a single flip, there are two possible outcomes; for two flips, four; for three flips, eight; and so on. After *n* steps, the total number of possible outcome sequences is 2^n.

This exponential growth reflects the rapid expansion of possibility space under conditions of minimal constraint. Each additional step doubles the number of potential configurations, producing a combinatorial explosion of outcomes.

Importantly, in this unconstrained scenario, all sequences are equally possible. There is no inherent structure, preference, or stability within the space of outcomes. The doubling sequence thus provides a formal representation of entropy as unstructured expansion.

2.3 Randomness Without Constraint

While entropy generates a vast space of possibilities, it does not, by itself, produce stable or organized structures. In a purely random system, configurations are transient, and no particular pattern is privileged over others. Without constraints, there is no mechanism to stabilize certain configurations or suppress others.

As a result, randomness alone yields neither persistence nor coherence. Patterns may arise momentarily, but they do not endure. There is no accumulation of structure, no path dependence, and no systematic organization across scales.

This leads to a crucial conclusion: entropy alone cannot produce complexity. While it provides the raw material—the expansion of possible states—it does not determine which configurations will stabilize, interact, or persist over time. For complexity to emerge, additional structuring principles are required.

3. Pascal's Triangle as the Geometry of Possibility

3.1 Construction of Pascal's Triangle

Pascal's Triangle is a recursive mathematical structure in which each entry is defined as the sum of the two entries directly above it. Formally, each value satisfies the relation n = a + b, where *a* and *b* are adjacent elements from the preceding row. Beginning with a single unit at the apex, this rule generates an infinite triangular array of numbers.

Combinatorially, the entries of Pascal's Triangle correspond to binomial coefficients, representing the number of ways to choose k successes in n trials. Each row therefore encodes the distribution of outcomes for a binary process, such as repeated coin flips (Graham et al., 1994).

This dual interpretation—as both a recursive structure and a combinatorial representation—makes Pascal's Triangle a natural bridge between process and possibility.

3.2 From Tree to Triangle

A binary branching process can be visualized as a tree in which each node splits into two subsequent nodes at each step. While this tree explicitly represents all possible trajectories, it quickly becomes unwieldy as the number of steps increases.

Pascal's Triangle provides a compact alternative by collapsing equivalent outcomes. Instead of representing each unique sequence, the triangle counts the number of ways each outcome can occur. For example, in three coin flips, there are multiple sequences that yield two heads and one tail; Pascal's Triangle aggregates these into a single value.

In this way, the triangle transforms a branching tree of possibilities into a structured representation of equivalence classes. It preserves the total number of possibilities while organizing them into a coherent distribution.

3.3 Row Sums and Entropy

A key property of Pascal's Triangle is that the sum of the entries in the n^{th} row equals 2^n, corresponding exactly to the total number of possible outcomes in a binary branching process. This demonstrates that the triangle fully preserves the combinatorial expansion of entropy.

However, while the total number of possibilities remains unchanged, their distribution is no longer uniform. The triangle redistributes these possibilities into a structured pattern, with central values dominating and extreme values becoming increasingly rare as n grows.

Thus, Pascal's Triangle simultaneously encodes two aspects of emergence: the expansion of possibility space (entropy) and the structuring of that space into stable statistical patterns. It is this dual role that makes the triangle a powerful model for understanding how complexity can arise from randomness when shaped by constraint.

The structural features of Pascal's Triangle provide a compact representation of how combinatorial expansion and constraint interact within a single formal system.

The triangle simultaneously encodes exponential growth in total possibilities, statistical redistribution across outcomes, recursive construction, and symmetry. These features can be interpreted as distinct forms of constraint operating on an expanding possibility space (see Figure 1).



Figure 1. Annotated Pascal Triangle: Entropy, Constraints, and the Geometry of Emergence. This diagram illustrates how complex structure emerges within Pascal's Triangle through the interaction of entropic expansion and recursive constraints. **Entropic Expansion** (blue) corresponds to the doubling sequence (2^n) of total possibilities, representing unconstrained branching at the system's edges. **Selective Constraints** (orange/yellow) generate binomial weighting across rows, with central values dominating. **Enabling Constraints** (green) trace the diagonal paths of the Fibonacci sequence, reflecting recursive developmental structure. **Global Symmetry** (dashed center line) enforces mirror invariance and constrains possible configurations across the entire structure. Together, these elements show how complexity is not a product of randomness alone, but emerges when entropic expansion is recursively filtered through multi-level constraints.

4. Constraint as the Engine of Emergence

4.1 What Is a Constraint?

A constraint is not a causal force in the traditional mechanistic sense. It does not push, produce, or transmit energy from one state to another. Rather, a constraint shapes the space of possible system behaviors by limiting, channeling, or organizing the range of available configurations (Juarrero, 1999). In this sense, constraints do not act on systems from the outside but emerge from within the relational structure of the system itself.

This distinction is critical. Whereas causal forces operate through localized interactions, constraints operate globally or relationally by defining which transitions are possible and which are excluded. A constraint does not determine a specific outcome; instead, it modifies the probability distribution over possible outcomes by stabilizing certain patterns and suppressing others.

From this perspective, emergence can be understood as the progressive structuring of possibility space through constraint. Rather than being imposed by an external blueprint or driven by intrinsic goals, order arises through the selective stabilization of configurations within an expanding space of possibilities.

4.2 Constraint Versus Efficient Causation

Traditional scientific explanations rely heavily on efficient causation, in which one event produces another through direct interaction. These explanations are typically local, sequential, and reductionist, focusing on how individual components interact to generate system-level behavior (Kauffman, 1993).

However, efficient causation alone is insufficient to explain the emergence of large-scale structure. While it can describe how systems evolve given existing structures, it does not account for why certain structures arise in the first place. In particular, mechanistic models struggle to explain the spontaneous emergence of order in systems composed of many interacting elements.

Constraint-based explanations offer an alternative. Instead of asking what causes a particular outcome, they ask what makes certain outcomes possible and others impossible. This shifts the explanatory focus from sequences of events to the organization of possibility space itself (Juarrero, 1999).

In this framework, emergence is not the result of linear causal chains but of the interaction between expanding possibilities and the constraints that shape them. Causality, in the traditional sense, becomes secondary—an emergent feature of systems in which constraints have stabilized sufficiently to produce reliable patterns of interaction.

4.3 Types of Constraints

To understand how constraints generate complexity, it is useful to distinguish between several types of constraints that operate within dynamical systems.

Selective constraints act by filtering possibilities, increasing the likelihood of some outcomes while suppressing others. *Enabling constraints*, in contrast, open structured pathways for development, allowing new forms of organization to emerge. *Recursive constraints* arise when constraints generate new constraints over

time, producing path dependence and historical accumulation. *Coupled constraints* operate across scales, linking micro-level dynamics to macro-level structure. Finally, *global constraints* impose system-wide regularities, such as symmetry and conservation, that limit the overall space of possible configurations.

Together, these constraint types provide a framework for understanding how structured complexity can arise from an initially unstructured space of possibilities. In the following section, these forms of constraint are mapped onto specific features of Pascal's Triangle, demonstrating how a simple combinatorial structure can encode the dynamics of emergence.

5. Mapping Constraint Types onto Pascal's Triangle

Pascal's Triangle provides a compact mathematical representation of how possibilities expand and become structured through constraint. Each of its structural features corresponds to a distinct mode of constraint, allowing the triangle to function as a minimal model of emergent complexity.

5.1 Entropic Expansion: The Doubling Sequence

The total number of entries in each row of Pascal's Triangle sums to 2^n, corresponding to the total number of possible outcomes in a binary branching process. This doubling sequence represents the unconstrained expansion of possibility space, such as that generated by repeated coin flips.

At this level, the system exhibits maximal combinatorial growth. Each additional step doubles the number of possible trajectories, producing an exponential increase in potential configurations. Importantly, this expansion is unstructured: all outcomes are treated as equally possible, and no preference or stability is imposed.

The doubling sequence thus serves as a formal representation of entropy as unbounded possibility. It defines the space within which constraints will later operate but does not, by itself, produce any organized structure.

5.2 Selective Constraints: The Binomial Distribution

While the total number of possibilities grows exponentially, Pascal's Triangle reveals that these possibilities are not uniformly distributed. Each row encodes a binomial distribution, in which outcomes near the center are far more probable than those at the extremes.

This distribution reflects the operation of selective constraints. Although all microstates are technically possible, the combinatorial structure of the system weights certain outcomes more heavily. As the number of trials increases, extreme

outcomes (e.g., all heads or all tails) become vanishingly unlikely, while intermediate outcomes dominate.

This statistical weighting produces a form of stability emerging from randomness. Even in a system governed by independent random events, the aggregate behavior becomes highly predictable. The binomial distribution thus demonstrates how selective constraints transform unstructured possibility into organized statistical patterns (Graham et al., 1994).

5.3 Enabling Constraints: Fibonacci Diagonals

Within Pascal's Triangle, Fibonacci numbers emerge along shallow diagonals formed by summing adjacent entries. These sequences follow the recursive relation $F(n) = F(n-1) + F(n-2)$, reflecting a form of constrained growth in which each state depends on the accumulation of prior states.

Unlike the binomial distribution, which reflects statistical filtering, Fibonacci sequences represent enabling constraints. They define structured pathways through which growth can occur, restricting development to trajectories that are recursively consistent with prior configurations.

This form of constraint is characteristic of many natural systems, where growth is not arbitrary but follows specific relational rules. Biological development, for example, often exhibits Fibonacci-like scaling patterns, reflecting underlying constraints on resource distribution and spatial organization (West et al., 1997).

The presence of Fibonacci structure within Pascal's Triangle demonstrates that even within a combinatorial system, certain pathways of development are privileged—not through external imposition, but through the internal logic of recursive constraint.

5.4 Global Constraints: Symmetry

Each row of Pascal's Triangle is symmetric, reflecting the invariance of the binomial coefficients under reversal. This symmetry constitutes a global constraint on the system, limiting the possible configurations to those that preserve this structural regularity.

Global constraints operate at the level of the entire system rather than at individual transitions. They enforce conservation principles and invariances that shape the overall form of the possibility space. In physical systems, similar constraints appear as conservation laws or symmetries in fundamental interactions (Noether, 1918/1971).

In Pascal's Triangle, symmetry ensures that the distribution of outcomes remains balanced, preventing arbitrary distortions of the probability structure. It thus serves as a constraint on the global organization of possibilities.

5.5 Recursive Constraints: Triangle Construction

The defining rule of Pascal's Triangle—that each entry is the sum of the two entries above it—embodies a recursive constraint. Each state is determined not independently, but through its relation to prior states. This introduces path dependence, in which the history of the system constrains its future development.

Recursive constraints enable the accumulation of structure over time. Because each new layer depends on the previous one, patterns can stabilize and propagate across scales. This process is fundamental to many forms of emergence, including biological evolution, cognitive development, and cultural transmission (Kauffman, 1993).

In this sense, the triangle itself is not merely a static object but a record of recursive constraint in action. Its structure reflects the cumulative effects of relational dependencies unfolding over successive iterations.

5.6 Coupled Constraints: Convergence to the Normal Distribution

As the number of trials increases, the binomial distribution encoded in Pascal's Triangle converges toward a normal (Gaussian) distribution, in accordance with the central limit theorem (Feller, 1968). This convergence reflects the operation of coupled constraints across scales.

At the micro level, individual events remain random and independent. However, when aggregated across many trials, these events produce a highly regular macro-level pattern. This transition from micro-level randomness to macro-level order is a hallmark of complex systems.

Coupled constraints link these levels by ensuring that local interactions collectively generate global structure. The emergence of the normal distribution thus illustrates how coherence can arise from the interaction of many independent components.

5.7 Dissipative Structure: Interior of the Triangle

The interior of Pascal's Triangle contains the highest combinatorial densities, representing regions where the number of possible configurations is greatest but also most structured. These regions correspond to intermediate outcomes, where entropy is high but not maximally disordered.

This balance between expansion and constraint is characteristic of dissipative structures—systems that maintain organization by channeling energy and entropy flows (Prigogine & Stengers, 1984). Such systems do not exist at the extremes of order or disorder but in a regime where constraints guide the dissipation of energy into stable patterns.

The interior of the triangle thus provides a useful analogy for the conditions under which life emerges. Living systems do not occupy states of maximal randomness or rigid order but exist in dynamically constrained regimes where entropy is continuously processed and structured.

Taken together, these constraint types define a unified structure through which entropy is transformed into organized complexity, a process that can be expressed dynamically as a sequence of transformations (see Figure 2).



Figure 2. From Entropy to Complexity: A Constraint-Driven Flow of Emergence. This figure illustrates the sequential transformation of unconstrained possibility into structured complexity through the progressive action of constraints. The process begins with entropy, represented as exponential expansion (2^n), corresponding to the rapid growth of possible states in a branching system. Recursive constraints then structure this expanding space, collapsing raw possibilities into organized distributions described by the binomial form. From within these constrained distributions, Fibonacci growth pathways emerge as structured, recursive developmental trajectories. As system size increases, these dynamics converge toward coherent statistical patterns approximating the normal distribution, reflecting large-scale stability arising from local interactions. The final stage, complexity, represents the emergence of life-like systems sustained within regimes of constrained entropy flow. Together, the diagram formalizes how entropy and constraint interact to produce organized, persistent structures without requiring teleological direction.

6. From Mathematics to Physical and Biological Systems

The abstract relationships identified in Pascal's Triangle can be generalized into a process model describing how complexity emerges in physical and biological systems. This progression can be understood as a sequence in which entropy generates expanding possibility spaces that are subsequently structured by multiple forms of constraint, giving rise to stable distributions, recursive growth pathways, and large-scale coherence (see Figure 2).

6.1 Thermodynamics and Dissipative Systems

The relationship between entropy and constraint, as formalized through Pascal's Triangle, extends naturally into thermodynamics and the study of physical systems. In thermodynamic contexts, systems evolve under energy gradients, with energy flowing from regions of higher concentration to lower concentration. This process is governed by the second law of thermodynamics, which states that entropy tends to increase in isolated systems (Clausius, 1865/2005).

However, when systems are open—exchanging energy and matter with their environment—this entropic flow can be structured. Under such conditions, systems may form and maintain organized states far from equilibrium. These are known as dissipative structures, which arise when energy flows are constrained in such a way that they stabilize patterns rather than dissipating uniformly (Prigogine & Stengers, 1984).

From the perspective developed in this paper, energy gradients provide the expansion of possibility, analogous to the doubling sequence in Pascal's Triangle. Constraints, in turn, channel this flow, shaping the space of possible configurations into stable forms. The emergence of order in thermodynamic systems is therefore not a violation of entropy but a consequence of its structured dissipation.

In this sense, thermodynamic organization can be understood as the physical instantiation of constraint geometry: energy does not simply disperse randomly but is guided by relational constraints that enable the formation of coherent structures.

6.2 Biological Organization

Biological systems provide a particularly rich domain in which the interaction between entropy and constraint becomes evident. Living organisms are open systems that maintain low internal entropy by exporting entropy to their environment, thereby sustaining highly organized states (Schrödinger, 1944/2012).

Several features of biological organization can be directly interpreted through the constraint-based framework outlined in this paper. First, developmental processes often follow structured growth pathways that resemble Fibonacci-like sequences. These patterns emerge not from explicit genetic instructions specifying exact forms, but from recursive constraints on growth, resource distribution, and spatial packing (West et al., 1997). As in Pascal's Triangle, such patterns reflect enabling constraints that channel development along specific trajectories.

Second, biological systems are subject to selection pressures that function as selective constraints. In populations, variations arise through stochastic processes, but only certain configurations persist due to environmental and ecological constraints. This process is analogous to the binomial weighting observed in Pascal's Triangle, where some outcomes become statistically dominant while others are suppressed (Kauffman, 1993).

Third, biological networks—such as metabolic pathways, vascular systems, and neural architectures—exhibit scaling laws that reflect underlying constraint structures. These networks often display fractal or self-similar organization, optimizing the distribution of resources across scales while minimizing energetic cost (West et al., 1997). Such patterns are consistent with the idea that constraints operate not only locally but across multiple levels of organization.

Taken together, these features suggest that biological complexity arises from the interaction between expanding possibilities and the constraints that structure them. Life does not resist entropy; rather, it harnesses entropy through constraint to maintain and reproduce organized states.

6.3 Evolution as Recursive Constraint

Evolution provides a paradigmatic example of recursive constraint in action. In evolutionary processes, constraints are not fixed but are continually generated and transformed over time. Organisms modify their environments, which in turn alter the constraints acting on future generations. This feedback loop produces a dynamic system in which constraints give rise to new constraints, leading to the progressive accumulation of structure (Kauffman, 1993).

This recursive dynamic introduces path dependence into evolutionary processes. The trajectory of a system is shaped not only by current conditions but by its history of prior states. Certain pathways become accessible or inaccessible depending on the sequence of events that preceded them. As a result, evolution does not explore all possible configurations uniformly but follows constrained trajectories through possibility space.

This perspective aligns with the recursive construction of Pascal's Triangle, where each new state depends on the accumulation of previous states. Just as the triangle encodes a history of combinatorial relations, evolutionary systems encode a history of constraint interactions.

Emergence, in this context, is not the appearance of entirely novel structures from randomness alone but the unfolding of possibilities shaped by prior constraints. Evolution can thus be understood as a process of constraint propagation and transformation, in which complexity increases through the iterative structuring of possibility space.

6.4 Developmental Thresholds and Statistical Emergence

The interaction between entropy and constraint may also generate not only continuous statistical patterns, but discrete developmental thresholds. In biological and cognitive systems, development does not proceed uniformly, but through staged transitions in which prior organization conditions subsequent states. These transitions introduce points of increased sensitivity where reorganization is more likely to occur (Kauffman, 1993; West et al., 1997).

Within Pascal's Triangle, such recursive structuring is reflected in the Fibonacci sequences that emerge along shallow diagonals. Each term is generated through the accumulation of prior states, providing a minimal formal model of growth constrained by history. Interpreted temporally, this structure suggests that complex systems may exhibit preferred transition zones that approximate Fibonacci-like scaling.

At the level of individual systems, however, these thresholds do not appear as precise or discrete events. Biological variability, environmental influences, and stochastic processes introduce dispersion in the timing of developmental transitions. As a result, phenomena such as the onset of cognitive or psychiatric conditions are observed across a range of ages rather than at fixed points (Gottesman & Gould, 2003).

When aggregated across large populations, however, this variability is reduced, and underlying structural regularities may become more visible (Sacco, Beitman, & Marks-Tarlow, 2025). The central limit theorem provides a framework for understanding how independent sources of variation combine to produce stable statistical distributions (Feller, 1968). Importantly, this convergence does not generate the underlying structure, but reveals it by smoothing noise across samples.

From this perspective, age-of-onset distributions may reflect the interaction between discrete developmental thresholds and continuous sources of variation. Recursive constraint structures define latent transition zones, while statistical

aggregation governs their empirical visibility. Observed patterns may therefore exhibit both continuous distributions and clustering around preferred ranges corresponding to these underlying structures.

This account remains theoretical and requires empirical validation. Apparent alignment with Fibonacci-like scaling could arise from alternative mechanisms or statistical artifacts. Nonetheless, the framework provides a basis for investigating how recursive constraint dynamics and statistical aggregation jointly shape the timing of emergent phenomena in complex systems.

7. Complexity Without Teleology

7.1 Rejecting Goal-Directed Explanations

The apparent directionality of complex systems has often been interpreted in teleological terms, suggesting that systems evolve toward predefined goals or optimal states. In biological contexts, this is frequently expressed through language of purpose, function, or design. However, such explanations risk introducing implicit final causes that lack empirical justification (Mayr, 1992).

Within the framework developed here, teleology is not required to account for the emergence of complexity. The structured patterns observed in natural systems can be explained through the interaction of entropy and constraint, without invoking intrinsic goals or external design principles.

By rejecting teleological explanations, this approach avoids the reintroduction of foundational assumptions. Instead, it treats complexity as an emergent property of dynamical systems, arising from internal processes rather than directed toward predetermined ends.

7.2 Constraint-Based Emergence

In a constraint-based framework, structure arises immanently through the organization of possibility space. Systems evolve not because they are directed toward specific outcomes, but because constraints stabilize certain configurations while excluding others.

This perspective aligns with process-oriented approaches in which patterns emerge from interactions rather than from underlying substances or essences (Juarrero, 1999). The role of constraint is not to impose form but to enable the selective persistence of patterns within an expanding field of possibilities.

As demonstrated through Pascal's Triangle, even simple combinatorial systems can generate highly structured patterns when subject to recursive and relational

constraints. The emergence of order is therefore not mysterious or externally imposed but follows from the internal dynamics of constrained systems.

7.3 Why Complexity Appears Directed

Although teleology is not required, complex systems often appear to exhibit goal-directed behavior. This apparent directionality can be explained through the concept of attractors—stable regions in a system's state space toward which trajectories tend to converge (Kauffman, 1993).

Attractors arise from the interaction of constraints that shape the system's dynamics. Once established, they give the appearance that the system is "moving toward" a particular state. However, this movement is not guided by a goal but by the geometry of constraint within the system.

Stability further reinforces this appearance. Configurations that persist over time become more prominent, while unstable configurations disappear. This selective persistence creates the illusion of purpose, even though the underlying process is entirely non-teleological.

In this sense, complexity appears directed not because it is driven by goals, but because constraint geometry channels the flow of possibilities into stable, recurring patterns. What appears as purpose is, more precisely, the manifestation of structured constraint operating over time.

7.4 Subtitle

Despite methodological differences, the pregeometric computational framework shares deep conceptual continuity with several major programs in quantum gravity. Causal set theory represents spacetime as a discrete partial order, with geometry emerging from causal relations (Bombelli et al., 1987).

7.5 Subtitle

A pregeometric, computational foundation yields several theoretical advantages. First, it avoids the ontological assumptions and infinities associated with continuous spacetime, offering a discrete model that may be more compatible with quantum theory (Henson, 2009).

8. Ontological Implications

8.1 Relational Coherence Ontology

The analysis developed in this paper supports a non-foundational ontological framework in which reality is not grounded in any underlying substance, essence, or pre-given structure. In contrast to classical metaphysical models that posit fundamental building blocks or primary layers of reality, a ***relational coherence ontology*** **(RCO)** holds that structure arises entirely from relational processes (Whitehead, 1929/1978; Rescher, 1996).

Within this view, there is no pre-existing possibility space that determines what can occur. Instead, the space of possibilities is dynamically generated and continuously reshaped through the evolution of constraints. Possibility is not prior to process; it is an emergent feature of process.

This position aligns with process philosophy and contemporary complexity theory, both of which reject static ontologies in favor of dynamic, relational accounts of reality (DeLanda, 2016). The absence of a foundational substrate does not imply arbitrariness. Rather, order emerges immanently through the recursive structuring of relations and the stabilization of coherence.

8.2 Constraint as Primary

If reality lacks a foundational substrate, then what plays the role traditionally assigned to substance or law? The framework developed here suggests that constraints themselves are ontologically primary. Reality can be understood as an evolving network of constraints that shape the space of possible configurations at any given moment.

Constraints are not external impositions but arise from the interactions and relations within the system. As discussed earlier, constraints do not produce outcomes directly; instead, they define the conditions under which certain outcomes can occur. In this sense, they operate as the organizing principle of emergence (Juarrero, 1999).

This perspective reframes the nature of physical laws. Rather than being fixed, external rules governing the behavior of matter, laws can be interpreted as stable constraint patterns that have emerged and persisted over time. What appears as lawfulness is the stabilization of constraint structures across scales.

Accordingly, reality is not composed of things governed by laws but of processes structured by constraints. These constraints evolve, propagate, and interact, giving rise to the patterns observed in physical, biological, and cognitive systems.

8.3 Emergence Without Essence

A central implication of this framework is that emergence does not require underlying essences or pre-existing forms. Traditional metaphysics often explains patterns by appealing to intrinsic properties or ideal structures that exist independently of the processes that instantiate them. In contrast, a constraint-based ontology treats patterns as relational phenomena that arise from the interactions among components.

In this view, entities are not primary but derivative. What appears as a stable object or structure is the temporary stabilization of relational dynamics within a constrained system. This aligns with relational interpretations in both philosophy and physics, where properties are understood as arising from interactions rather than being inherent to isolated entities (Rovelli, 1996).

Pascal's Triangle illustrates this principle at a mathematical level. The patterns within the triangle—binomial distributions, Fibonacci sequences, and symmetry—do not arise from pre-existing templates but from the recursive application of simple relational rules. The resulting structures are emergent, not imposed.

Thus, emergence without essence becomes intelligible: patterns arise because relational processes, when constrained, stabilize into coherent forms. No underlying blueprint or foundational substance is required.

9. Implications and Extensions

9.1 Mathematics as Constraint Geometry

The interpretation of Pascal's Triangle presented in this paper suggests a broader view of mathematics as the study of constraint geometry. Rather than merely describing quantities or abstract relations, mathematical structures can be understood as formal representations of how constraints shape possibility spaces.

This perspective aligns with contemporary approaches in discrete mathematics and combinatorics, where structures are often analyzed in terms of constraints on allowable configurations (Graham et al., 1994). It also suggests that other mathematical objects—such as graphs, networks, and fractals—can be interpreted as different forms of constraint geometry.

9.2 Fractal Time and Development

The emergence of Fibonacci sequences within Pascal's Triangle points to a deeper connection between constraint and temporal structure. Fibonacci scaling reflects

recursive growth processes in which each state depends on prior states, producing self-similar patterns across scales.

Such scaling laws are widely observed in natural systems, including biological development, ecological dynamics, and physiological rhythms (West et al., 1997). These patterns suggest that time itself may exhibit fractal properties, with similar structural relationships appearing at different temporal scales.

Within a constraint-based framework, fractal time can be understood as the temporal expression of recursive constraint. Development unfolds not as a linear progression but as a sequence of constrained transitions, each shaped by the accumulation of prior states. Fibonacci-like patterns thus represent not merely numerical coincidences but signatures of underlying constraint structures operating across time.

9.3 Cognition and Meaning

The implications of constraint-based emergence extend beyond physical and biological systems to cognition and meaning. Cognitive systems can be understood as processes that detect, interpret, and respond to patterns within their environment. From this perspective, meaning arises when patterns are recognized as coherent relative to the constraints of the system.

Pattern detection itself can be viewed as sensitivity to constraint. The human mind is attuned to regularities, symmetries, and recurrences, all of which reflect underlying constraint structures. This sensitivity enables the identification of stable patterns within a noisy environment, supporting perception, learning, and decision-making (Friston, 2010).

Meaning, therefore, is not an intrinsic property of objects but a relational phenomenon emerging from the interaction between cognitive systems and structured environments. When internal and external constraints align, patterns become salient and meaningful. This aligns with enactive and predictive processing frameworks, in which cognition is understood as the active construction of coherence through interaction (Varela et al., 1991).

10. Conclusion

10.1 Restating the Core Claim

This paper has argued that complexity arises from the interaction between entropy and constraint. Entropy, understood as the expansion of possibility space, generates a proliferation of potential configurations. Constraints, in turn, structure

this space by stabilizing certain patterns and excluding others. Through this interaction, organized complexity emerges.

Importantly, entropy and constraint are not opposing forces but complementary aspects of a single process. Entropy provides the generative capacity for novelty, while constraints provide the conditions for stability and coherence. Without entropy, there would be no variation; without constraint, no structure could persist.

10.2 Pascal's Triangle as a Universal Template

Pascal's Triangle serves as a minimal mathematical model of this interaction. It encodes both the exponential expansion of possibilities and their structured redistribution through recursive relations. Each of its features—the doubling sequence, binomial distribution, Fibonacci diagonals, symmetry, and convergence toward the normal distribution—corresponds to a different mode of constraint.

As such, the triangle provides a compact representation of how complexity can emerge from simple processes. It demonstrates that structured patterns do not require external design or teleological direction but can arise from the internal dynamics of constrained systems.

While highly abstract, this model captures essential features of physical, biological, and cognitive systems, suggesting that similar principles may operate across domains.

10.3 Final Summary

The central insight of this work can be summarized as follows: Complexity is not the opposite of randomness. It is what appears when randomness is recursively constrained.

This formulation reframes the relationship between order and disorder, showing that structure emerges not in spite of randomness but through its organization. In a world without foundational grounding, coherence arises immanently through the interplay of entropy and constraint, giving rise to the rich complexity observed in nature.

References

Boltzmann, L. (1964). *Lectures on gas theory* (S. G. Brush, Trans.). University of California Press. (Original work published 1877)

Clausius, R. (2005). On the moving force of heat and the laws of heat which may be deduced therefrom. *Annalen der Physik, 79*, 368–397. (Original work published 1865)

DeLanda, M. (2016). *Assemblage theory*. Edinburgh University Press.

Feller, W. (1968). *An introduction to probability theory and its applications* (Vol. 1, 3rd ed.). Wiley.

Friston, K. (2010). The free-energy principle: A unified brain theory? *Nature Reviews Neuroscience, 11*(2), 127–138.

Gottesman, I. I., & Gould, T. D. (2003). The endophenotype concept in psychiatry: Etymology and strategic intentions. *American Journal of Psychiatry, 160*(4), 636–645.

Graham, R. L., Knuth, D. E., & Patashnik, O. (1994). *Concrete mathematics* (2nd ed.). Addison-Wesley.

Juarrero, A. (1999). *Dynamics in action: Intentional behavior as a complex system*. MIT Press.

Kauffman, S. A. (1993). *The origins of order: Self-organization and selection in evolution*. Oxford University Press.

Mayr, E. (1992). The idea of teleology. *Journal of the History of Ideas, 53*(1), 117–135.

Noether, E. (1971). Invariant variation problems. *Transport Theory and Statistical Physics, 1*(3), 186–207. (Original work published 1918)

Prigogine, I., & Stengers, I. (1984). *Order out of chaos: Man's new dialogue with nature*. Bantam Books.

Rescher, N. (1996). *Process metaphysics: An introduction to process philosophy*. SUNY Press.

Rovelli, C. (1996). Relational quantum mechanics. *International Journal of Theoretical Physics, 35*(8), 1637–1678.

Sacco, R. G., Beitman, B. D., & Marks-Tarlow, T. (2025). Predicting mental health disorder onsets with Fibonacci sequencing: A genetic and epigenetic perspective. *Journal of Psychiatric Research, 183*, 237–243.

Schrödinger, E. (2012). *What is life?* Cambridge University Press. (Original work published 1944)

Varela, F. J., Thompson, E., & Rosch, E. (1991). *The embodied mind: Cognitive science and human experience*. MIT Press.

West, G. B., Brown, J. H., & Enquist, B. J. (1997). A general model for the origin of allometric scaling laws in biology. *Science, 276*(5309), 122–126.

Whitehead, A. N. (1978). *Process and reality*. Free Press. (Original work published 1929)